

## Información sobre el producto

---

### Sus puntos fuertes:

- De 1,10m à 3,90m de altura

Uso : Intensivo

## LOS MODELOS

Ref	Altura del piso :	Número de escaleras / escalones :	Huella (mm) :	EAN barcode :
05901917		17	3,68m	3178740070434
05901919		19	4,08m	3178740070441
05901905		5	1,28m	3178740070373
05901913		13	2,88m	3178740070410
05901915		15	3,28m	3178740070427
05901907		7	1,68m	3178740070380
05901909		9	2,08m	3178740070397
05901911		11	2,48m	3178740070403
05901015		15	3,28m	3178740070182
05901017		17	3,68m	3178740070199
05901013		13	2,88m	3178740070175
05901019		19	4,08m	3178740070205
05901011		11	2,48m	3178740070168
05901007		7	1,68m	3178740070144
05901005		5	1,28m	3178740070137
05901009		9	2,08m	3178740070151
05901117		17	3,68m	3178740070274
05901119		19	4,08m	3178740070281
05901113		13	2,88m	3178740070250

05901115		15	3,28m	3178740070267
05901111		11	2,48m	3178740070243
05901107		7	1,68m	3178740070229
05901105		5	1,28m	3178740070212
05901109		9	2,08m	3178740070236
05901215		15	3,28m	3178740070588
05901217		17	3,68m	3178740070595
05901213		13	2,88m	3178740070571
05901219		19	4,08m	3178740070601
05901207		7	1,68m	3178740070540
05901205		5	1,28m	3178740070533
05901209		9	2,08m	3178740070557
05901211		11	2,48m	3178740070564

## Características técnicas

---

Uso	Intensivo
Material	Aluminio
Carga máxima (kg)	150kg
Garantía (años)	5

Normas

EN 14122