

Información sobre el producto

Sus puntos fuertes:

- De 1,10m à 3,90m de altura

Uso : Intensivo

LOS MODELOS

Ref	Altura del piso :	Número de escaleras / escalones :	Huella (mm) :	EAN barcode :
05902909		9	1,48m	3178740070311
05902907		7	1,19m	3178740070304
05902911		11	1,76m	3178740070328
05902913		13	2,04m	3178740070335
05902917		17	2,61m	3178740070359
05902915		15	2,33m	3178740070342
05902905		5	0,91m	3178740070298
05902919		19	2,89m	3178740070366
05902009		9	1,48m	3178740069995
05902007		7	1,19m	3178740069988
05902013		13	2,04m	3178740070014
05902015		15	2,33m	3178740070021
05902019		19	2,89m	3178740070045
05902017		17	2,61m	3178740070038
05902005		5	0,91m	3178740069971
05902011		11	1,76m	3178740070007
05902111		11	1,76m	3178740070083
05902109		9	1,48m	3178740070076
05902107		7	1,19m	3178740070069

05902113		13	2,04m	3178740070090
05902115		15	2,33m	3178740070106
05902119		19	2,89m	3178740070120
05902117		17	2,61m	3178740070113
05902105		5	0,91m	3178740070052
05902217		17	2,61m	3178740070519
05902209		9	1,48m	3178740070472
05902207		7	1,19m	3178740070465
05902219		19	2,89m	3178740070526
05902211		11	1,76m	3178740070489
05902215		15	2,33m	3178740070502
05902213		13	2,04m	3178740070496
05902205		5	0,91m	3178740070458

Características técnicas

Uso	Intensivo
Material	Aluminio
Carga máxima (kg)	150kg
Garantía (años)	5

Normas

EN 14122