

Información sobre el producto

Sus puntos fuertes:

- De 0,70m à 2,30m de altura

Uso : Intensivo

LOS MODELOS

Ref	Altura del piso :	Número de escaleras / escalones :	Huella (mm) :	EAN barcode :
05910006		6	m	3178740072957
05910005		5	m	3178740072940
05910004		4	m	3178740072933
05910008		8	m	3178740072971
05910009		9	m	3178740072988
05910011		11	m	3178740073008
05910010		10	m	3178740072995
05910003		3	m	3178740072926
05910007		7	m	3178740072964
05910106		6	m	3178740073046
05910105		5	m	3178740073039
05910104		4	m	3178740073022
05910107		7	m	3178740073053
05910108		8	m	3178740073060
05910111		11	m	3178740073091
05910110		10	m	3178740073084
05910109		9	m	3178740073077
05910103		3	m	3178740073015
05910204		4	m	3178740073114

05910208		8	m	3178740073152
05910209		9	m	3178740073169
05910210		10	m	3178740073176
05910203		3	m	3178740073107
05910207		7	m	3178740073145
05910205		5	m	3178740073121
05910206		6	m	3178740073138
05910211		11	m	3178740073183

Características técnicas

Uso	Intensivo
Material	Aluminio
Carga máxima (kg)	150kg
Garantía (años)	5
Normas	EN 14122