

Información sobre el producto

Sus puntos fuertes:

- De 1,10m à 4,3m de altura

Uso : Intensivo

LOS MODELOS

Ref	Altura del piso :	Número de escaleras / escalones :	Huella (mm) :	EAN barcode :
05906011		11	m	3178740071196
05906009		9	m	3178740071189
05906007		7	m	3178740071172
05906015		15	m	3178740071219
05906017		17	m	3178740071226
05906021		21	m	3178740071240
05906019		19	m	3178740071233
05906005		5	m	3178740071165
05906013		13	m	3178740071202
05906111		11	m	3178740071288
05906109		9	m	3178740071271
05906107		7	m	3178740071264
05906113		13	m	3178740071295
05906115		15	m	3178740071301
05906121		21	m	3178740071332
05906119		19	m	3178740071325
05906117		17	m	3178740071318
05906105		5	m	3178740071257
05906207		7	m	3178740071356

05906215		15	m	3178740071394
05906217		17	m	3178740071400
05906219		19	m	3178740071417
05906205		5	m	3178740071349
05906213		13	m	3178740071387
05906209		9	m	3178740071363
05906211		11	m	3178740071370
05906221		21	m	3178740071424

Características técnicas

Uso	Intensivo
Material	Aluminio
Carga máxima (kg)	150kg
Garantía (años)	5
Normas	EN 14122